
requests-api Documentation

Release 1.1.5

Deric Degagne

Feb 05, 2022

CONTENTS

1	Usage Overview	1
1.1	Create an authentication object	1
1.2	Create Requests object	1
2	requests-api API	3
2.1	Requests	3
2.2	auth	3
3	Installation	5
4	License	7
5	Links	9

USAGE OVERVIEW

1.1 Create an authentication object

Supports:

- HTTPBasicAuth
- HTTPDigestAuth
- OAuth2
- HttpNtlmAuth
- HTTPKerberosAuth

Listing 1: Python

```
1 from requests_api import basic_auth
2
3 auth = basic_auth("username", "supersecurepassword")
```

1.2 Create Requests object

Listing 2: Python

```
1 from requests_api import Requests
2
3 r = Requests("whatever.example.com", auth)
4 response = r.get("some/api/path/here", query_params={"fields": "something"})
```

User's can also restrict the keys provided in the response with the following:

Listing 3: Python

```
1 from requests_api import Requests
2
3 r = Requests("whatever.example.com", auth)
4 response = r.get("some/api/path/here", query_params={"fields": "something"}, search_
  ↳ keys=["name1", "name2"])
```


REQUESTS-API API

2.1 Requests

2.2 auth

The `Requests-API` is a library I created to ease the use of the `requests` library for my internal projects. So I figured why not share it in case it helps someone out.

INSTALLATION

Before installation, please make sure you have at least Python 3.6 installed on our system.

Listing 1: Bash

```
$ pip install requests-api
```

CHAPTER
FOUR

LICENSE

`requests-api` is licensed under MIT license. See the [LICENSE](#) for more information

LINKS

- [Python Site](#)
- [PyPI Site](#)
- [urllib3](#)
- [requests](#)
- [requests_oauthlib](#)
- [requests_ntlm3](#)
- [requests_kerberos](#)